

STIC-EIC1600/2900

274368

p From: CECILIA JAISLE [Cecilia.Jaisle@uspto.gov]
h Sent: Thursday, April 30, 2009 1:59 PM
p To: STIC-EIC1600/2900
p Subject: Search Request, Case/Application No.: 10/812075

Requester: CECILIA JAISLE (P/1624)
Art Unit: GROUP ART UNIT 1624
Employee Number:
Office Location: REM 5A11
Phone Number: (571)272-9931

Case/Application number: 10/812075
Priority Filing Date:
Format for Search Results: Score
Meaning of unusual acronyms or initialisms:

Identify the novelty:

Additional comments:
Search compounds of claim 2.

Attachment: Yes (812075, Claims, Page Range14 pages.pdf)

=> fil reg; d stat que 19; fil capl; d que nos 110
 FILE 'REGISTRY' ENTERED AT 10:12:23 ON 06 MAY 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 4 MAY 2009 HIGHEST RN 1142334-49-3
 DICTIONARY FILE UPDATES: 4 MAY 2009 HIGHEST RN 1142334-49-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.


Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

L4

STR



VAR G1=18/19/21/25/29/32/35/38/40/43

VAR G2=18/19

REP G3=(0-2) CH2

NODE ATTRIBUTES:

NSPEC IS R AT 44

CONNECT IS E3 RC AT 2

DEFAULT MLEVEL IS ATOM

MLEVEL IS CLASS AT 18 19

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC I

NUMBER OF NODES IS 44

STEREO ATTRIBUTES: NONE

L9 2063 SEA FILE=REGISTRY SSS FUL L4

100.0% PROCESSED 397632 ITERATIONS

2063 ANSWERS

SEARCH TIME: 00.00.42

FILE 'CAPLUS' ENTERED AT 10:12:23 ON 06 MAY 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 May 2009 VOL 150 ISS 19

FILE LAST UPDATED: 5 May 2009 (20090505/ED)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2009

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2009

CAplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'CAPLUS' FILE

L4 STR

L9 2063 SEA FILE=REGISTRY SSS FUL L4

L10 32 SEA FILE=CAPLUS SPE=ON ABB=ON L9

=> d ibib abs hitstr l10 1-32; fil hom

L10 ANSWER 1 OF 32 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2009:232742 CAPLUS Full-text



DOCUMENT NUMBER: 150:283081

TITLE: Preparation of naphthylpyrimidine, naphthylpyrazine and naphthylpyridazine analogs and their use as agonists of the Wnt- β -catenin cellular messaging system

INVENTOR(S): Pelletier, Jeffrey Claude; Felix, Luciana De Araujo; Green, Daniel Michael; Hauze, Diane Barbara; Lundquist Iv, Joseph Theodore; Mann, Charles William; Mehlmann, John Francis; Rogers, John Francis, Jr.; Vera, Matthew

PATENT ASSIGNEE(S): Douglas; Molinari, Albert John
 SOURCE: Wyeth, John, and Brother Ltd., USA
 PCT Int. Appl., 184pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2009026326	A1	20090226	WO 2008-US73655	20080820
W: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
US 20090054392	A1	20090226	US 2008-194235	20080819
PRIORITY APPLN. INFO.:			US 2007-965420P	P 20070820
OTHER SOURCE(S):			MARPAT 150:283081	
GI				



AB The title compds. I [T1-T4 = CH or N (wherein two of T1-T4 = N and the remaining two of T1-T4 = CH); Q = a bond, O, N(CH2)rR8 or CR8R9; U = N or CR10; W = CHR5, O or NR5; R1 = H or alkyl; R2 = (un)substituted alkyl; or R1 and R2 when taken together with the ring to which they are attached form bicyclic cycloalkyl or 8-12 membered bicyclic heterocycle; R3 = H, halo, (un)substituted alkyl, etc.; R4 = H, halo, (un)substituted alkyl, etc.; R5 = H, 5-12 membered hetereoaryl, OH, etc.; R6, R7 = H, halo, CN, etc.; R8-R10 = H or (un)substituted alkyl; or R8 and R9 taken together = O; m, n, o, p = 0-2; s

= 0-1; r = 0-3], useful for treating canonical Wnt- β -catenin cellular messaging system-related disorders, were prepared. E.g., a multi-step synthesis of (3S)-II, starting from 2-acetylnaphthalene and dimethylformamide-dimethyl acetal, was given. Compds. I were tested in functional Dkk1-LRP5-TCF-Luciferase assay in U2OS cells (data given). Pharmaceutical composition comprising compound I is disclosed.

IT 1123234-21-8P 1123234-24-1P 1123234-26-3P
1123234-30-9P 1123234-33-2P 1123234-36-5P
1123234-39-8P 1123241-14-4P 1123247-30-2P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of naphthylpyrimidine, naphthylpyrazine and naphthylpyridazine analogs for treating canonical Wnt- β -catenin cellular messaging system-related disorders)

RN 1123234-21-8 CAPLUS

CN Acetamide, N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-24-1 CAPLUS

CN Carbamic acid, N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]-, methyl ester (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-26-3 CAPLUS

CN Urea, N,N-dimethyl-N'-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-30-9 CAPLUS

CN Urea, N-ethyl-N'-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-33-2 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-36-5 CAPLUS

CN Benzenesulfonamide, 4-methyl-N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-39-8 CAPLUS

CN 1-Naphthalenesulfonamide, 5-(dimethylamino)-N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123241-14-4 CAPLUS

CN Carbamic acid, N-[[cis-4-[methyl[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]methyl]-, phenylmethyl ester (CA INDEX NAME)


Relative stereochemistry.



RN 1123247-30-2 CAPLUS

CN Carbamic acid, N-[[cis-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]methyl]-, phenylmethyl ester (CA INDEX NAME)

Relative stereochemistry.



IT 1123242-97-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of naphthylpyrimidine, naphthylpyrazine and naphthylpyridazine analogs for treating canonical Wnt- β -catenin cellular messaging system-related disorders)

RN 1123242-97-6 CAPLUS


CN Carbamic acid, N-[[trans-4-[methyl[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]methyl]-, phenylmethyl ester, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 1123242-96-5

CMF C30 H32 N4 O2


Relative stereochemistry.



CM 2

CRN 76-05-1



CMF C2 H F3 O2



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 32 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2009:232741 CAPLUS Full-text
 DOCUMENT NUMBER: 150:283080
 TITLE: Preparation of naphthylpyrimidine, naphthylpyrazine
 and naphthylpyridazine analogs and their use as
 agonists of the Wnt- β -catenin cellular messaging
 system
 INVENTOR(S): Pelletier, Jeffrey Claude; Felix, Luciana De Araujo;
 Green, Daniel Michael; Hauze, Diane Barbara; Lundquist
 Iv, Joseph Theodore; Mann, Charles William; Mehlmann,
 John Francis; Rogers, John Francis, Jr.; Vera, Matthew
 Douglas; Molinari, Albert John
 PATENT ASSIGNEE(S): Wyeth, John, and Brother Ltd., USA
 SOURCE: PCT Int. Appl., 184pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2009026319	A1	20090226	WO 2008-US73644	20080820
W: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
US 20090054392	A1	20090226	US 2008-194235	20080819
PRIORITY APPLN. INFO.:			US 2007-965420P	P 20070820
OTHER SOURCE(S):	MARPAT 150:283080			
GI				



AB The title compds. I [T1-T4 = CH or N (wherein two of T1-T4 = N and the remaining two of T1-T4 = CH); Q = a bond, O, N(CH₂)_rR₈ or CR₈R₉; U = N or CR₁₀; W = CHR₅, O or NR₅; R₁ = H or alkyl; R₂ = (un)substituted alkyl; or R₁ and R₂ when taken together with the ring to which they are attached form bicyclic cycloalkyl or 8-12 membered bicyclic heterocycle; R₃ = H, halo, (un)substituted alkyl, etc.; R₄ = H, halo, (un)substituted alkyl, etc.; R₅ = H, 5-12 membered heteroaryl, OH, etc.; R₆, R₇ = H, halo, CN, etc.; R₈-R₁₀ = H or (un)substituted alkyl; or R₈ and R₉ taken together = O; m, n, o, p = 0-2; s = 0-1; r = 0-3], useful for treating canonical Wnt-β-catenin cellular messaging system-related disorders, were prepared. E.g., a multi-step synthesis of (3S)-II, starting from 2-acetylnaphthalene and dimethylformamide-dimethyl acetal, was given. Compds. I were tested in functional Dkk1-LRP5-TCF-Luciferase assay in U2OS cells (data given). Pharmaceutical composition comprising compound I is disclosed.

IT 1123234-21-8P 1123234-24-1P 1123234-26-3P
1123234-30-9P 1123234-33-2P 1123234-36-5P
1123234-39-8P 1123241-14-4P 1123247-30-2P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of naphthylpyrimidine, naphthylpyrazine and naphthylpyridazine analogs for treating canonical Wnt-β-catenin cellular messaging system-related disorders)

RN 1123234-21-8 CAPLUS

CN Acetamide, N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]-
(CA INDEX NAME)


Relative stereochemistry.



RN 1123234-24-1 CAPLUS

CN Carbamic acid, N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]-, methyl ester (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-26-3 CAPLUS

CN Urea, N,N-dimethyl-N'-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-30-9 CAPLUS

CN Urea, N-ethyl-N'-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-33-2 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-36-5 CAPLUS

CN Benzenesulfonamide, 4-methyl-N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123234-39-8 CAPLUS

CN 1-Naphthalenesulfonamide, 5-(dimethylamino)-N-[trans-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]- (CA INDEX NAME)


Relative stereochemistry.



RN 1123241-14-4 CAPLUS

CN Carbamic acid, N-[[cis-4-[methyl[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]methyl]-, phenylmethyl ester (CA INDEX NAME)


Relative stereochemistry.



RN 1123247-30-2 CAPLUS

CN Carbamic acid, N-[[cis-4-[[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]methyl]-, phenylmethyl ester (CA INDEX NAME)

Relative stereochemistry.



IT 1123242-97-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of naphthylpyrimidine, naphthylpyrazine and naphthylpyridazine analogs for treating canonical Wnt- β -catenin cellular messaging system-related disorders)

RN 1123242-97-6 CAPLUS


CN Carbamic acid, N-[[trans-4-[methyl[4-(2-naphthalenyl)-2-pyrimidinyl]amino]cyclohexyl]methyl]-, phenylmethyl ester, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 1123242-96-5

CMF C30 H32 N4 O2


Relative stereochemistry.



CM 2

CRN 76-05-1

CMF C2 H F3 O2




REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 3 OF 32 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2008:729540 CAPLUS [Full-text](#)
 DOCUMENT NUMBER: 149:54023
 TITLE: Preparation of novel imidazolones as guanylyl cyclase receptor A (GC-A) agonists
 INVENTOR(S): Namikawa, Koji; Shimamoto, Tetsuo; Kitano, Katsuhiko; Koyama, Yoshiaki
 PATENT ASSIGNEE(S): Asubio Pharma Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 34pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2008137897	A	20080619	JP 2006-322504	20061129
PRIORITY APPLN. INFO.:			JP 2006-322504	20061129
OTHER SOURCE(S):	MARPAT	149:54023		

GI



AB Title compds. I (R1, R2, R4-R7 = C1-6 alkyl, C6-14 aromatic hydrocarbyl, H; R3 = C1-10 alkyl, C6-14 aromatic hydrocarbyl, H; X = NH, O), their salts, or their solvates are prepared. The imidazolones show diuretic activity, thus useful for treatment of acute heart failure. Thus, 350 mg N-(4-anilino-6-chloro-1,3,5-triazin-2-yl)-L-leucine Me ester was treated with 300 mg guanidine at 100° in propionitrile, then treated with aqueous CF₃CO₂H to give 348 mg 1-[4-(2-amino-5-isobutyl-4-oxo-4,5-dihydro-1H-imidazol-1-yl)-6-anilino-1,3,5-triazin-2-yl]guanidine ditrifluoroacetate, which showed GC-A receptor agonist activity with ED₅₀ value of 4000 nM in CHO/human GCA (4A) cells.

IT 1033127-69-3F

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of (imidazolyltriazinyl)guanidines as guanylyl cyclase receptor

A agonists for treatment of acute heart failure)

RN 1033127-69-3 CAPLUS


CN Guanidine, N-[4-[(5S)-2-amino-4,5-dihydro-5-(2-methylpropyl)-4-oxo-1H-imidazol-1-yl]-6-[[4-[[4-(2-butyl-3-oxo-1-piperazinyl)-6-chloro-2-pyrimidinyl]amino]cyclohexyl]amino]-1,3,5-triazin-2-yl]-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 1033127-68-2


CMF C29 H44 Cl N15 O2

Absolute stereochemistry.



CM 2

CRN 76-05-1
CMF C2 H F3 O2



IT 1033127-71-7P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of (imidazolyltriazinyl)guanidines as guanylyl cyclase receptor

A agonists for treatment of acute heart failure)


RN 1033127-71-7 CAPLUS

CN Guanidine, N-[4-[(5S)-2-amino-4,5-dihydro-5-(2-methylpropyl)-4-oxo-1H-imidazol-1-yl]-6-[[4-[[4-(2-butyl-3-oxo-1-piperazinyl)-2-pyrimidinyl]amino]cyclohexyl]amino]-1,3,5-triazin-2-yl]-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 1033127-70-6
CMF C29 H45 N15 O2

Absolute stereochemistry.



CM 2

CRN 76-05-1
CMF C2 H F3 O2

